



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities.

MICHIGAN.—Week ended November 20, 1897. Reports to the State board of health, Lansing, from 58 observers indicate that inflammation of kidney and remittent fever increased in area of prevalence. Phthisis pulmonalis was reported present during the week at 169, enteric fever at 65, diphtheria at 41, scarlet fever at 30, measles at 19, whooping cough at 5, and smallpox at 1 place (Bay City).

Grand Rapids.—Month of October, 1897. Estimated population, 90,000. Total deaths, 88, including phthisis pulmonalis, 9; scarlet fever, 1, and diphtheria, 2.

MISSOURI—*Kansas City*.—Month of October, 1897. Estimated population, 175,000. Total deaths, 132, including phthisis pulmonalis, 8; enteric fever, 8; diphtheria, 3, and croup, 1.

St. Louis.—Month of October, 1897. Estimated population, 600,000. Total deaths, 702, including phthisis pulmonalis, 78; enteric fever, 17; diphtheria, 23; croup, 9, and whooping cough, 5.

OHIO—*Columbus*.—Month of October, 1897. Estimated population, 135,000. Total deaths, 102, including phthisis pulmonalis, 17; enteric fever, 2; scarlet fever, 1, and diphtheria, 2.